

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	10/518783	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 09:40
L3	2419630	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 09:54
L4	2656632	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 09:54
L5	2737868	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 09:55
L6	2739733	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 09:55
L7	2739733	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 09:55
L8	2745493	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG (APG))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 09:56

L9	2745498	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" IOG "channel home page" "advanced program guide" (APG))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 09:56
L10	101	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" IOG "channel home page" "advanced program guide" (APG)) near5 (background) near5 (button muuse pointer cursor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 09:58
L11	50	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" IOG "channel home page" "advanced program guide" (APG)) near5 (background) near5 (button muuse pointer cursor) and ((@ad<="20030620") (@rlad<="20030620") (@prad<="20030620"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 10:00
L12	229	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" IOG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button muuse pointer cursor) and ((@ad<="20030620") (@rlad<="20030620") (@prad<="20030620"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 10:00

L13	188	((epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near3 (button muuse pointer cursor) and (((@ad<="20030620") (@riad<="20030620") (@prad<="20030620"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 10:01
L14	0	((epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (commercial \$1 CM advertisement\$1 ad announcement\$1 "commercial program")) near5 (background style color) near3 (button muuse pointer cursor) and (((@ad<="20030620") (@riad<="20030620") (@prad<="20030620"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 10:02
L15	0	((epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) same (commercial\$1 CM advertisement\$1 ad announcement\$1 "commercial program")) near5 (background style color) near3 (button muuse pointer cursor) and (((@ad<="20030620") (@riad<="20030620") (@prad<="20030620"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 10:02

L16	57	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near3 (button mouse pointer cursor) and ((@ad<="20030620") (@rlad<="20030620") (@prad<="20030620")) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 10:02
L17	9	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near3 (button mouse pointer cursor) and ((@ad<="20030620") (@rlad<="20030620") (@prad<="20030620")) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") near5 (background style color)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 10:03
L18	0	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near3 (button mouse pointer cursor) and ((@ad<="20030620") (@rlad<="20030620") (@prad<="20030620")) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") near5 (background style color) and ("Picture in Picture" PIP PIP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 10:05

L19	1	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near3 (button mouse pointer cursor) and ((@ad<="20030620") (@rlad<="20030620") (@prad<="20030620"))) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") near5 (background style color) and ("Picture in Picture" PIP PIP picture \$in\$picture POP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 10:06
L20	1	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button mouse pointer cursor) and ((@ad<="20030620") (@rlad<="20030620") (@prad<="20030620"))) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") near5 (background style color) and ("Picture in Picture" PIP PIP picture \$in\$picture POP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 10:09
L21	1	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button mouse pointer cursor) and ((@ad<="20030620") (@rlad<="20030620") (@prad<="20030620"))) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") near5 (background style color) and ("Picture in Picture" PIP PIP picture \$in\$picture POP) and button	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 10:36

L22	1	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button mouse pointer cursor) and ((@ad<="20030620") (@rlad<="20030620") (@prad<="20030620"))) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") near5 (background style color) and ("Picture in Picture" PIP PIP picture \$in\$picture POP) and button and "wrap properties"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 10:38
L23	1	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button mouse pointer cursor) and ((@ad<="20030620") (@rlad<="20030620") (@prad<="20030620"))) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") near5 (background style color) and ("Picture in Picture" PIP PIP picture \$in\$picture POP) and button and "wrap properties" and video	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 10:39
L24	1	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button mouse pointer cursor) and ((@ad<="20030620") (@rlad<="20030620") (@prad<="20030620"))) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") near5 (background style color) and	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 10:54

		("Picture in Picture" PIP PIP picture \$in\$picture POP) and button and "wrap properties" and video "geographic positionz"				
L25	1	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button muuse pointer cursor) and (((@ad<="20030620") (@riad<="20030620") (@prad<="20030620"))) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") near5 (background style color) and ("Picture in Picture" PIP PIP picture \$in\$picture POP) and button and "wrap properties" and video "geographic positionz"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 10:54
L26	1	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button muuse pointer cursor) and (((@ad<="20030620") (@riad<="20030620") (@prad<="20030620"))) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") near5 (background style color) and ("Picture in Picture" PIP PIP picture \$in\$picture POP) and button and "wrap properties" and video "geographic positionz" and "geographic "	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 10:55

L27	4484	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button mouse pointer cursor) and ((@ad<="20030620") (@rlad<="20030620") (@prad<="20030620"))) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") near5 (background style color) and ("Picture in Picture" PIP PIP picture \$in\$picture POP) and button and "wrap properties" and video "geographic position" and "geographic "	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 10:56
L28	1	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button mouse pointer cursor) and ((@ad<="20030620") (@rlad<="20030620") (@prad<="20030620"))) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") near5 (background style color) and ("Picture in Picture" PIP PIP picture \$in\$picture POP) and button and "wrap properties" and video and "geographic position" and "geographic "	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 10:56
L29	1	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button mouse pointer cursor) and ((@ad<="20030620") (@rlad<="20030620") (@prad<="20030620"))) and	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 11:02

		(commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") near5 (background style color) and ("Picture in Picture" PIP PIP picture \$in\$picture POP) and button and "wrap properties" and video and "geographic position" and "geographic positions "				
L30	1	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button mouse pointer cursor) and ((@ad<="20030620") (@riad<="20030620") (@prad<="20030620"))) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") near5 (background style color) and ("Picture in Picture" PIP PIP picture \$in\$picture POP) and button and "wrap properties" and video and "geographic position" and "geographic positions " and "geographic area"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 11:05
L31	1	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button mouse pointer cursor) and ((@ad<="20030620") (@riad<="20030620") (@prad<="20030620"))) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") near5 (background style color) and ("Picture in Picture" PIP PIP picture \$in\$picture POP) and button and "wrap properties" and video and ("geographic position" "geographic positions " "geographic area" near5 control)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 11:14

L32	1	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button mouse pointer cursor) and ((@ad<="20030620") (@rlad<="20030620") (@prad<="20030620")) and (commercial\$1 QM advertisement \$1 ad announcement\$1 "commercial program") near5 (background style color) and ("Picture in Picture" PIP PIP picture \$in\$picture POP) and button and "wrap properties" and video and (("geographic position" "geographic" "geographic positions" "geographic area") near5 control) and ("geographic position" "geographic" "geographic positions" "geographic area"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 11:15
L33	1	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button mouse pointer cursor) and ((@ad<="20030620") (@rlad<="20030620") (@prad<="20030620")) and (commercial\$1 QM advertisement \$1 ad announcement\$1 "commercial program") near5 (background style color) and ("Picture in Picture" PIP PIP picture \$in\$picture POP) and button and "wrap properties" and video and (("geographic position" "geographic" "geographic positions" "geographic area") near5 control) and ("geographic position" "geographic" "geographic positions" "geographic area") and region	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 11:19

L34	1	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button mouse pointer cursor) and ((@ad<="20030620") (@riad<="20030620") (@prad<="20030620")) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") near5 (background style color) and ("Picture in Picture" PIP PIP picture \$in\$picture POP) and button and "wrap properties" and video and (("geographic position" "geographic" "geographic positions" "geographic area") near5 control) and ("geographic position" "geographic" "geographic positions" "geographic area") and region and (position near5 "embedded object")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 11:29
L35	1	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button mouse pointer cursor) and ((@ad<="20030620") (@riad<="20030620") (@prad<="20030620")) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") near5 (background style color) and ("Picture in Picture" PIP PIP picture \$in\$picture POP) and button and "wrap properties" and video and (("geographic position" "geographic" "geographic positions" "geographic area") near5 control) and ("geographic position" "geographic" "geographic positions" "geographic area") and region and (position\$1 near5 "embedded object") and position\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 11:31

L36	1	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button mouse pointer cursor) and ((@ad<="20030620") (@rlad<="20030620") (@prad<="20030620")) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") near5 (background style color) and ("Picture in Picture" PIP PIP picture \$in\$picture POP) and button and "wrap properties" and video and (("geographic position" "geographic" "geographic positions" "geographic area") near5 control) and ("geographic position" "geographic" "geographic positions" "geographic area") and region and (position\$1 near5 "embedded object") and position\$1 near5 control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 11:32
L37	1	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button mouse pointer cursor) and ((@ad<="20030620") (@rlad<="20030620") (@prad<="20030620")) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") near5 (background style color) and ("Picture in Picture" PIP PIP picture \$in\$picture POP) and button and "wrap properties" and video and (("geographic position" "geographic" "geographic positions" "geographic area") near5 control) and ("geographic position" "geographic" "geographic positions" "geographic area") and region and (position\$1 near5 "embedded object") and (position\$1 near5 control)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 11:32

L38	1	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button muuse pointer cursor) and ((@ad<="20030620") (@rlad<="20030620") (@prad<="20030620")) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") near5 (background style color) and ("Picture in Picture" PIP PIP picture \$in\$picture POP) and button and "wrap properties" and video and ("geographic position" "geographic" "geographic positions" "geographic area") near5 control) and ("geographic position" "geographic" "geographic positions" "geographic area") and region and (position\$1 near5 "embedded object") and (position\$1 near5 control) and "new style sheet"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 11:34
L39	1	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button muuse pointer cursor) and ((@ad<="20030620") (@rlad<="20030620") (@prad<="20030620")) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") near5 (background style color) and ("Picture in Picture" PIP PIP picture \$in\$picture POP) and button and "wrap properties" and video and ("geographic position" "geographic" "geographic positions" "geographic area") near5 control) and ("geographic position" "geographic" "geographic positions" "geographic area") and region and (position\$1 near5 "embedded object") and (position\$1 near5 control) and "new style sheet" and advertisement	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 11:40

L40	3	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button mouse pointer cursor) and ((@ad<="20030620") (@rlad<="20030620") (@prad<="20030620")) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") same (background style color) and ("Picture in Picture" PIP PIP picture \$in\$picture POP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 11:52
L41	1	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button mouse pointer cursor) and ((@ad<="20030620") (@rlad<="20030620") (@prad<="20030620")) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") same ("geographic position" "geographic" "geographic positions" "geographic area" region size place) and ("Picture in Picture" PIP PIP picture\$in\$picture POP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 11:54
L42	8	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button mouse pointer cursor) and ((@ad<="20030620") (@rlad<="20030620") (@prad<="20030620")) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") same4 ("geographic position"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 11:55

		"geographic" "geographic positions" " "geographic area" region size place) and ("Picture in Picture" PIP PIP picture\$in\$picture POP)				
L43	11	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button muuse pointer cursor) and ((@ad<="20030620") (@rlad<="20030620") (@prad<="20030620")) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") same4 ("geographic position" "geographic" "geographic positions" " "geographic area" region size place location) and ("Picture in Picture" PIP PIP picture\$in\$picture POP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 11:55
L44	3	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button muuse pointer cursor) and ((@ad<="20030620") (@rlad<="20030620") (@prad<="20030620")) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") same4 ("geographic position" "geographic" "geographic positions" " "geographic area" region size place location) and ("Picture in Picture" PIP PIP picture\$in\$picture POP) and (video television)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 11:59

L45	4	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button mouse pointer cursor) and ((@ed<="20030620") (@lad<="20030620") (@prad<="20030620")) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") same4 ("geographic position" "geographic" "geographic positions" "geographic area" region size place location position) and ("Picture in Picture" PIP PIP picture \$in\$picture POP) and (video television)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 12:01
L46	35	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button mouse pointer cursor) and ((@ed<="20030620") (@lad<="20030620") (@prad<="20030620")) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") same4 ("geographic position" "geographic" "geographic positions" "geographic area" region size place location position) and ("Picture in Picture" PIP PIP picture \$in\$picture POP) and (video television)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 12:10

L47	0	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (background style color) near5 (button mouse pointer cursor) near5 ("geographic position" "geographic" "geographic positions " "geographic area" region size place location position) and ((@ad<="20030620") (@rlad<="20030620") (@prad<="20030620")) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") near5 ("Picture in Picture" PIP PIP picture \$in\$picture POP) and (video television)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 12:13
L48	19	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (button mouse pointer cursor) near5 ("geographic position" "geographic" "geographic positions " "geographic area" region size place location position) and ((@ad<="20030620") (@rlad<="20030620") (@prad<="20030620")) and (commercial\$1 CM advertisement \$1 ad announcement\$1 "commercial program") near5 ("Picture in Picture" PIP PIP picture \$in\$picture POP) and (video television)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 12:14
L49	2	(epg "electronic program guide" guide "program guide" guide line \$1up (program adj guide) IPG "interactive program guide" GUI menu "Program relative information" PRI "Interactive content guide" ICG "channel home page" "advanced program guide" (APG)) near5 (commercial \$1 CM advertisement\$1 ad announcement\$1 "commercial program") near5 ("geographic position" "geographic" "geographic positions " "geographic area"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 12:22

		region size place location position) and ((@ad<="20030620") (@riad<="20030620") (@prad<="20030620")) and (button mouse pointer cursor) near5 ("Picture in Picture" PIP PIP picture\$inPicture POP) and (video television)				
L50	2	"6760916".pn. and advertisement \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 12:56
L51	0	"6760916".pn. and (advertisement \$1 near5 (position\$1 area location locat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 12:57
L52	0	"6760916".pn. and ((advertisement \$1) near5 (position\$1 area location locat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 12:57
L53	1	"6760916".pn. and ((advertisement \$1) same (position\$1 area location locat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 12:57
L54	1	"6760916".pn. and ((advertisement \$1) same (position\$1 area location locat\$3 space))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 13:27
L55	1	"6760916".pn. and ((advertisement \$1) same (position\$1 area location locat\$3 space)) and "interrupt button" and ("interrupt button " same advertisement\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 13:33
L56	1	"6760916".pn. and ((advertisement \$1) same (position\$1 area location locat\$3 space)) and "interrupt button" and ("interrupt button " same advertisement\$1) and (purchas\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 13:36
L57	1	"6760916".pn. and ((advertisement \$1) same (position\$1 area location locat\$3 space)) and "interrupt button" and ("interrupt button " same advertisement\$1) and (purchas\$3) near8 (advertisement)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 13:37

L58	1	"6760916".pn. and ((advertisement \$1) same (position\$1 area location (locat\$3 space)) and "interrupt button" and ("interrupt button " same advertisement\$1) and (purchas\$3) near8 (advertisement) and purchas\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 13:38
-----	---	---	---	----	-----	---------------------

4/ 15/ 2010 2:53:42 PM

C:\Documents and Settings\jrabovianski\My Documents\EAST\Workspaces\10518783.wsp